

GSSEL[®] HIGH END

Patented Loudspeakers & Cables made in Germany



Epoque Aeon Wall

Epoque Aeon Wall

The flagship product of Göbel High End sets the ultimate benchmark for loudspeakers.


The "Carbon Excellence Aeon" bending wave driver based on the patented bending wave technology by Göbel® is the core of our thin and wall mountable flagship Epoque Aeon Wall.

This "Carbon Excellence Aeon" bending wave driver is based on the principals of sound creation through musical instruments and is the result of over 15 years of development that we invested in order to achieve the most natural sound possible.

In order to also achieve an absolute homogeneous sound dispersion and stimulation of the room modes within the low frequency range the Epoque Aeon Wall is additionally equipped with 6 custom built Göbel® Aeon 7 inch long throw aluminum bass drivers. These symmetrically arranged bass drivers are specifically located on the front to create an absolute smooth transition of the „Carbon Excellence Aeon“ bending wave driver's broad frequency range to the low frequencies of the custom built bass drivers.

The purely functional design with the perfectly defined form and the use of specific aluminum alloys together with our special high density, bulletproof, multilayered composite materials eliminate any diffractions, resonances and energy saving effects.

Göbel High End,
the most advanced loudspeaker technology,
completely designed and manufactured in Germany.





Technical specifications

Principle: Bending wave loudspeaker with passive radiators

Drivers: Patented Göbel® Carbon Excellence Aeon bending wave driver
2 massive Göbel® Aeon aluminum longthrow bass drivers 7 inch (18 cm)
4 massive Göbel® Aeon aluminum longthrow passive radiators 7 inch (18 cm)

Housing: Acoustically optimized bulletproof multilayered composite materials, massive aluminium acoustic baffle

Standard finishes: - Real piano lacquer white with aluminum parts lacquer anodized in natural silver semi gloss
- Real piano lacquer black with aluminum parts lacquer anodized in space grey semi gloss

Front cover: Magnetically mounted front grill with black fabric

Impedance: 4 Ohm (Impedance minimum in Single-Wiring: 4 ohm at 160 Hz)

Efficiency: 85 dB / 1 W / 1 m

Crossover frequency: 160 Hz

Frequency response: 28 Hz - 31.000 Hz

Dispersion range: 180° frontside: 28 Hz - 31.000 Hz

Dimensions: 185 (H) x 26,8 (W) x 13,8 (D) cm (total depth incl. wall mount 15,7 cm)

Weight: 70 kg without packaging

Göbel High End, Schabweg 4a, 82239 Alling, Germany
<http://www.goebel-highend.de> - info@goebel-highend.de
Phone: +49(0) 8141 22 55 887 - Fax: +49(0) 8141 22 55 889